

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

F1150R2C1

Serial No.

10/080,455

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant  
Aashkenazi

Filing Date

22 Feb 2002

Group

1642

## U.S. PATENT DOCUMENTS

| Examiner<br>Initials | Document Number   | Date     | Name      | Class | Subclass | Filing Date |
|----------------------|-------------------|----------|-----------|-------|----------|-------------|
| W                    | 1<br>2002/0099198 | 25.07.02 | Yu et al. |       |          |             |

RECEIVED  
OCT 30 2002  
TECH CENTER 1600/2900

Examiner

Date Considered

11/7/04

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 1 of 6

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.  
P150R2C1

Serial No.  
10/080,455

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant  
Aehkenazi

Filing Date  
22 Feb 2002

Group  
1642

U.S. PATENT DOCUMENTS

| Examiner Initials | Document Number | Date     | Name      | Class | Subclass | Filing Date |
|-------------------|-----------------|----------|-----------|-------|----------|-------------|
| W                 | * 1 5,998,171   | 07.12.99 | Yu et al. |       |          |             |

FOREIGN PATENT DOCUMENTS

| Examiner Initials | Document Number | Date     | Country                         | Class | Subclass | Translation Yes No |
|-------------------|-----------------|----------|---------------------------------|-------|----------|--------------------|
| W                 | * 2 307,247 B1  | 15.03.89 | EPO                             |       |          |                    |
|                   | * 3 417,563 B1  | 20.03.91 | EPO (ENGLISH ABSTRACT ATTACHED) |       |          |                    |
|                   | * 4 WO 97/01633 | 16.01.97 | PCT                             |       |          |                    |
|                   | * 5 WO 98/06842 | 19.02.98 | PCT                             |       |          |                    |
|                   | * 6 WO 98/07880 | 26.02.98 | PCT                             |       |          |                    |


RECEIVED  
MAY 15 2002  
TECH CENTER 1600/2900

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

|   |      |  |
|---|------|--|
| W | * 7  | Aggarwal et al., "Tumor Necrosis Factors: Development During the Last Decade" <u>Eur. Cytokine Netw.</u> 7(2):93-124 (April- Ju 1996)  |
|   | * 8  | Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-Induced Death of Developing T Cells" <u>Symposium on Programmed Cell Death</u> (Abstract No. 10), Cold Spring Harbor Laboratory (1995)                |
|   | * 9  | Amitage et al., "Molecular and biological characterization of a murine ligand for CD40" <u>Nature</u> 357(6373):80-82 (1992)   |
|   | * 10 | Aehkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" <u>Proc. Natl. Acad. Sci.</u> 88:10535-10539 (1991)   |
|   | * 11 | Baeuerle et al., "Function and activation of NF-kappa B in the immune system" <u>Ann. Rev. Immunol.</u> 12:141-179 (1994)  |
|   | * 12 | Baldwin, A., "The NF-kB and Ikb Proteins: New Discoveries and Insights" <u>Ann. Rev. Immunol.</u> 14:649-683 (1996)  |
|   | * 13 | Banner et al., "Crystal Structure of the Soluble Human 55 kD TNF Receptor-Human TNFp Complex: Implications for TNF Receptor Activation" <u>Cell</u> 73:431-445 (1993)  |
|   | * 14 | Barr and Tomei, "Apoptosis and Its Role in Human Disease" <u>Bio/Technology</u> 12:487-493 (1994)  |
|   | * 15 | Haum et al., "Molecular characterization of murine and human OX40/OX40 ligand systems: identification of a human OX40 ligand as the HTLV-1-regulated protein gp34" <u>EMBO Journal</u> 13(17):3992-4001 (1994)                 |
|   | * 16 | Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor With Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" <u>Immunity</u> 6:79-88 (1997)   |
|   | * 17 | Boldin et al., "Involvement of MACH, a Novel MORT1/FADD-Interacting Protease, in Fas/APO-1- and TNF Receptor-Induced Cell Death" <u>Cell</u> 85:803-815 (1996)   |
|   | * 18 | Boldin et al., "Self-Association of the "Death Domains" of the p55 Tumor Necrosis Factor (TNF) Receptor and Fas/APO1 Prompts Signaling for TNF and Fas/APO1 Effects" <u>Journal of Biological Chemistry</u> 270:387-391 (1995) |
|   | * 19 | Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines by monoclonal antibodies" <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)  |
|   | * 20 | Brojatanac et al., "CARL, a TNFR-Related Protein, Is a Cellular Receptor for Cytopathic Avian Leukosis-Sarcoma Viruses and Mediates Apoptosis" <u>Cell</u> 87:845-855 (1996)   |

|                         |                            |
|-------------------------|----------------------------|
| Examiner<br>H. J. Smith | Date Considered<br>11/7/04 |
|-------------------------|----------------------------|

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 2 of 6

|   |   |                              |                          |
|---|---|------------------------------|--------------------------|
| FORM PTO-1449   | U.S. Dept. of Commerce<br>Patent and Trademark Office | Atty Docket No.<br>P1150R2C1 | Serial No.<br>10/080,455 |
| LIST OF DISCLOSURES CITED BY APPLICANT<br>(Use several sheets if necessary) |   | Applicant<br>Ashkenazi       |                          |
|   |   | Filing Date<br>22 Feb 2002   | Group<br>1642            |

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

|    |  |
|----|--|
| 21 | Browning et al., "Lymphotoxin B, a Novel Member of the TNF Family That Forms a Heteromeric Complex with Lymphotoxin on the Cell Surface" <u>Cell</u> 72:847-856 (1993)   |
| 22 | Chinnaiyan and Dixit, "The Cell-Death Machine" <u>Current Biology</u> 6:555-562 (1996)   |
| 23 | Chinnaiyan et al., "FADD, a novel death domain-containing protein, interacts with the death domain of Fas and initiates apoptosis" <u>Cell</u> 81:505-512 (1995)   |
| 24 | Chinnaiyan et al., "FADD/MORT1 Is a Common Mediator of CD95 (Fas/APO-1) and Tumor Necrosis Factor Receptor-induced Apoptosis" <u>Journal of Biological Chemistry</u> 271:4961-4965 (1996)                                |
| 25 | Chinnaiyan et al., "Interaction of CED-4 with CED-3 and CED-9: A Molecular Framework for Cell Death" <u>Science</u> 275:1122-1126 (1997)   |
| 26 | Chinnaiyan et al., "Signal Transduction by DR3, a Death Domain-Containing Receptor Related to TNFR-1 and CD95" <u>Science</u> 274:990-992 (1996)   |
| 27 | Cleveland and Ihle, "Contenders in Fas/TNF Death Signaling" <u>Cell</u> 81:479-482 (1995)  |
| 28 | Dealtry et al., "DNA Fragmentation and Cytotoxicity Caused by Tumor Necrosis Factor is Enhanced by Interferon- $\gamma$ " <u>European Journal of Immunology</u> 17:689-693 (1987)  |
| 29 | Degli-Raposti et al., "Cloning and Characterization of TRAIL-R3, a Novel Member of the Emerging TRAIL Receptor Family" <u>Journal of Experimental Medicine</u> 186(7):1165-1170 (1997)                                   |
| 30 | Eck and Sprang, "The structure of tumor necrosis factor- $\alpha$ at 2.6 Å resolution" <u>Journal of Biological Chemistry</u> 264(29):17595-17605 (1989)   |
| 31 | Enari et al., "Involvement of an ICE-like protease in Fas-mediated Apoptosis" <u>Nature</u> 375:78-81 (1995)   |
| 32 | Fraser and Evan, "A License to Kill" <u>Cell</u> 85:781-784 (1996)   |
| 33 | Gelb et al., "Pycnodysostosis: Refined Linkage and Radiation Hybrid Analyses Reduce the Critical Region to 2 cM at 1q21 and Map Two Candidate Genes" <u>Human Genet.</u> 98:141-144 (1996)                               |
| 34 | Goding, "Production of Monoclonal Antibodies" <u>Monoclonal Antibodies: Principles and Practice</u> , Academic Press, pps. 59-103 (1986)   |
| 35 | Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor" <u>Molecular &amp; Cellular Biology</u> 11:3020-3026 (1991)                                       |
| 36 | Gruss and Dower, "Tumor Necrosis Factor Ligand Superfamily: Involvement in the Pathology of Malignant Lymphomas" <u>Blood</u> 85:3378-3404 (1995)  |
| 37 | Gruss, H.J. et al., "Molecular, structural, and biological characteristics of the tumor necrosis factor ligand superfamily" <u>Int. J. Clin. Lab. Res</u> 26(3):143-159 (1996)   |
| 38 | Hale et al., "Demonstration of in vitro and in vivo efficacy of two biologically active human soluble TNF receptors expressed in E. coli" <u>J. Cell. Biochem.</u> (abstract only Supplement 15F; P 424) pps. 113 (1991) |
| 39 | Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNF $\alpha$ )" <u>Journal of Biological Chemistry</u> 264(25):14927-14934 (1989)                              |
| 40 | Hou et al., "TRADD-TRAF2 and TRADD-FADD Interactions Define two distinct TNF receptor 1 signal transduction pathways" <u>Cell</u> 84:299-308 (1996)  |

|                      |                            |
|----------------------|----------------------------|
| Examiner<br><i>W</i> | Date Considered<br>11/7/04 |
|----------------------|----------------------------|

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

OFFICE  
MAY 6 7 2002  
PATENT & TRADEMARK OFFICE

RECEIVED  
MAY 15 2002  
TECH CENTER 1800/2300

Sheet 3 of 6

|   |   |                              |                          |
|---|---|------------------------------|--------------------------|
| FORM PTO-1449   | U.S. Dept. of Commerce<br>Patent and Trademark Office | Atty Docket No.<br>P1150R2C1 | Serial No.<br>10/080,455 |
| LIST OF DISCLOSURES CITED BY APPLICANT<br>(Use several sheets if necessary) |   | Applicant<br>Aashkenazi      |                          |
|   |   | Filing Date<br>22 Feb 2002   | Group<br>1642            |

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

|      |   |
|------|---|
| * 41 | Itzhak et al., "The polypeptide encoded by the cDNA for human cell surface antigen Fas can mediate apoptosis" <u>Cell</u> 66:233-243 (1991)   |
| * 42 | Johnson et al., "Expression and Structure of the Human NGF Receptor" <u>Cell</u> 47:545-554 (1986)  |
| * 43 | Kitson et al., "A Death-Domain-Containing Receptor that Mediates Apoptosis" <u>Nature</u> 384:372-375 (1996)  |
| * 44 | Klein et al., "Selection for Genes Encoding Secreted Proteins and Receptors" <u>Proc. Natl. Acad. Sci. USA</u> 93(14):7108-7113 (1996)  |
| * 45 | Kohn et al., "A second tumor necrosis factor receptor gene product can shed a naturally occurring tumor necrosis factor inhibitor" <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990)  |
| * 46 | Kozak, "An analysis of vertebrate mRNA sequences: intimations of translational control" <u>Journal of Cell Biology</u> 115:887-903 (1991)   |
| * 47 | Krammer et al., "Regulation of Apoptosis in the Immune System" <u>Curr. Op. Immunol.</u> 6:279-289 (1994)   |
| * 48 | Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <u>Proc. Natl. Acad. Sci. USA</u> 88:2830-2834 (1991)  |
| * 49 | Lewit-Bentley et al., "Structure of tumour necrosis factor by X-ray solution scattering and preliminary studies by single crystal X-ray diffraction" <u>J. Mol. Biol.</u> 199(2):389-392 (1988)   |
| * 50 | Loetscher et al., "Molecular Cloning and Expression of the Human 55 Kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (1990)  |
| * 51 | MacFarlane et al., "Identification and Molecular Cloning of Two Novel Receptors for the Cytotoxic Ligand TRAIL" <u>Journal of Biological Chemistry</u> 272(41):25417-25420 (1997)   |
| * 52 | MacKay et al., "Differential Responses of Fibroblasts from Wild-Type and TNF-R55-Deficient Mice to Mouse and Human TNF- $\alpha$ Activation" <u>J. Immunol.</u> 153:5274-5284 (1994)  |
| * 53 | Malinin et al., "MAP3K-related Kinase involved in NF- $\kappa$ B induction by TNF, CD95 and IL-1" <u>Nature</u> 385(6616):540-544 (February 6, 1997)  |
| * 54 | Mallett et al., "Characterization of the MRC OX40 Antigen of Activated CD4 Positive T Lymphocytes - A Molecule Related to Nerve Growth Factor Receptor" <u>EMBO Journal</u> 9(4):1063-1068 (April 1990)   |
| * 55 | Mazatere et al., "Activation of Apoptosis by Apo-2 Ligand is Independent of FADD but Blocked by CrmA" <u>Current Biology</u> 6(6):750-752 (1996)  |
| * 56 | Mazatere et al., "Apo-3, a New Member of the Tumor Necrosis Factor Receptor Family, Contains a Death Domain and Activates Apoptosis and NF- $\kappa$ B" <u>Curr. Biol.</u> 6(12):1669-1676 (1996)   |
| * 57 | Mazatere et al., "Herpesvirus Entry Mediator, A Member of the Tumor Necrosis Factor (TNFR) Family, Interacts with Members of the TNFR-associated Factor Family and Activates the Transcription Factors NF- $\kappa$ B and AP-1" <u>Journal of Biological Chemistry</u> 272(22):14029-14032 (1997) |
| * 58 | Mazatere et al., "Interferon $\gamma$ Signals Via a High-Affinity Multisubunit Receptor Complex That Contains Two Types of Polypeptide Chain" <u>Proc. Natl. Acad. Sci. USA</u> 92:5401-5405 (1995)   |
| * 59 | Montgomery et al., "Herpes Simplex Virus-1 Entry into Cells Mediated by a Novel Member of the TNF/NGF Receptor Family" <u>Cell</u> 87(3):427-436 (1996)   |
| * 60 | Muzio et al., "FLICE, A Novel FADD-Homologous ICE/CD95-like Protease, is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex" <u>Cell</u> 85:817-827 (1996)  |

|   |                            |
|---|----------------------------|
| Examiner<br>M   | Date Considered<br>11/7/01 |
| *Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 608; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. |                            |

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1150R2C1

Serial No.

10/080,455

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Ashkenazi

Filing Date

22 Feb 2002

Group

1642

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- \* 61. Nagata and Golstein, "The Fas Death Factor" Science 267:1445-1456 (1995)
- \* 62. Nagata, S., "Apoptosis by Death Factor" Cell 88:355-365 (1997)
- \* 63. Nocentini et al., "A new member of the tumor necrosis factor/nerve growth factor receptor family inhibits T cell receptor-induced apoptosis" Proc. Natl. Acad. Sci. 94(12):6216-6221 (1997)
- \* 64. Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor" EMBO Journal 9:3269-3278 (1990)
- \* 65. O'Reilly et al. Baculovirus Expression Vectors: A Laboratory Manual, Oxford:Oxford University Press (1994)
- \* 66. Fan et al., "An Antagonist Decoy Receptor and a Death-domain Containing Receptor for TRAIL" Science 277:815-818 (1997)
- \* 67. Fan et al., "The Receptor for the Cytotoxic Ligand TRAIL." Science, 276:111-113 (Apr 4, 1997)
- \* 68. Peetre et al., "A tumor necrosis factor binding protein is present in human biological fluids" European Journal of Haematology 41:414-419 (1988)
- \* 69. Pitti et al., "Induction of Apoptosis by Apo-2 Ligand, a New Member of the Tumor Necrosis Factor Cytokine Family" Journal of Biological Chemistry 271:12687-12690 (1996)
- \* 70. Radeke et al., "Gene transfer and molecular cloning of the fat nerve growth factor receptor" Nature 325:593-597 (1987)
- \* 71. Raff, "Social Controls on Cell Survival and Cell Death" Nature 356:397-400 (1992)
- \* 72. Ray et al., "Viral Inhibition of Inflammation: Cowpox Virus Encodes an Inhibitor of the Interleukin-1 $\beta$  Converting Enzyme" Cell 69:597-604 (May 15, 1992)
- \* 73. Ruppert et al., "Cloning and Expression of Human TAP1/250: a TBP-associated Factor Implicated in Cell-cycle Regulation" Nature 362:175-179 (1993)
- \* 74. Sachs et al., "Control of Programmed Cell Death in Normal and Leukemic Cells: New Implications for Therapy" Blood 82:15-21 (1993)
- \* 75. Sambrook et al. Molecular Cloning: A Laboratory Manual, Second edition, New York: Cold Spring Harbor Laboratory Press (1989)
- \* 76. Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" Cell 61:361-370 (1990)
- \* 77. Schmid et al., "DNA Fragmentation: Manifestation of Target Cell Destruction Mediated by Cytotoxic T-cell Lines, Lymphotoxin-secreting Helper T-cell Clones, and Cell-free Lymphotoxin-containing Supernatant" Proc. Natl. Acad. Sci. USA 83:1881-1885 (1986)
- \* 78. Seckinger et al., "Purification and Biologic Characterization of a specific tumor necrosis factor  $\alpha$  inhibitor" Journal of Biological Chemistry 264:11966-11973 (1989)
- \* 79. Sheridan et al., "Control of TRAIL-induced Apoptosis by a Family of Signaling and Decoy Receptors" Science 277:818-821 (1997)
- \* 80. Simonet et al., "Osteoprotegerin: A Novel Secreted Protein Involved in the Regulation of Bone Density" Cell 89:309-319 (1997)

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

OFFICE  
MAY 07 2002  
PATENT & TRADEMARK OFFICE

RECEIVED  
MAY 15 2002  
TECH CENTER 1000-200

Sheet 5 of 6

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.  
P1150R2C1

Serial No.  
10/080,455

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant  
Ashkenazi

Filing Date

22 Feb 2002

Group

1642

OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.)

- 81 Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" Science 248:1019-1023 (1990)
- 82 Smith et al., "Blocking of HIV-1 Infectivity by a Soluble, Secreted Form of the CD4 Antigen" Science 238:1704-1707 (1987)
- 83 Smith et al., "72 Open reading frame from the Shope fibroma virus encodes a soluble form of the TNF receptor" Biochem. & Biophys. Res. Comm. 176:335-342 (1991)
- 84 Sompayrac et al., "Efficient infection of monkey cells with DNA of simian virus 40" Proc. Natl. Acad. Sci. USA 78(12):7575-7578 (Dec 1981)
- 85 Stamenkovic et al., "A B-lymphocyte activation molecule related to the nerve growth factor receptor and induced by cytokines in carcinomas" EMBO Journal 8(5):1403-1410 (1989)
- 86 Steller, H., "Mechanisms and Genes of Cellular Suicide" Science 267:1445-1449 (1995)
- 87 Takahashi et al., "Human Fas ligand: gene structure, chromosomal location and species specificity" Int. Immunol. 6(10):1567-1574 (1994)
- 88 Takao et al., "Novel DNA Polymorphism in the Mouse Tumor Necrosis Factor Receptors Type 1 and Type 2" Immunogenetics 37:199-203 (1993)
- 89 Tartaglia et al., "A novel domain within the 55 kd TNF receptor signals cell death" Cell 74(5):845-853 (1993)
- 90 Tewari and Dixit, "Fas- and Tumor Necrosis Factor-induced Apoptosis is Inhibited by the Poxvirus cRa Gene Product" Journal of Biological Chemistry 270:3255-3260 (1995)
- 91 Tewari and Dixit, "Recent Advances in Tumor Necrosis Factor and CD40 Signaling" Curr. Op. Genet. Develop. 6:39-44 (1996)
- 92 Tewari et al., "Yama/CPP32, a Mammalian Homolog of CED-3, is a CrmA-Inhibitable Protease That Cleaves the Death Substrate Poly(ADP-Ribose) Polymerase" Cell 81:801-809 (1995)
- 93 Thimmapaya et al., "Adenovirus VAI RNA is required for efficient translation of viral mRNAs at late times after infection" Cell 31(3 Pt 2):543-551 (Dec 1982)
- 94 Thompson, "Apoptosis in the Pathogenesis and Treatment of Disease" Science 267:1456-1462 (1995)
- 95 Upton et al., "Myxoma virus expresses a secreted protein with homology to the tumor necrosis factor receptor gene family that contributes to viral virulence" Virology 184:370-382 (1991)
- 96 Upton et al., "Tumorigenic poxviruses: genomic organization and DNA sequence of the telomeric region of the Shope fibroma virus genome" Virology 160:20-30 (1987)
- 97 Verma et al., "Rel/NF-kB/IkB Family: Intimate Tales of Association and Dissociation" Genes Develop. 9:2723-2735 (1995)
- 98 von Bulow and Bram, "NF-AT Activation Induced by a CARD-Interacting Member of the Tumor Necrosis Factor Receptor Superfamily" Science 278:138-141 (1997)
- 99 Walczak et al., "TRAIL-R2: a novel apoptosis-mediating receptor for TRAIL" EMBO Journal 16(17):5386-5397 (1997)
- 100 Wang et al., "Ich-1 and Ico/ced-3-Related Gene, Encodes Both Positive and Negative Regulators of Programmed Cell Death" Cell 78:739-750 (September 9, 1994)

Examiner

Gw

Date Considered

11/7/04

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 6 of 6

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1150R2C1

Serial No.

10/080,455

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant  
Aehkenazi

Filing Date

22 Feb 2002

Group

1642

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- \*101 Watanabe-Fukunaga et al., "Lymphoproliferation Disorder in Mice Explained by Defects in Fas Antigen that Mediates Apoptosis" Nature 356:314-317 (1992)
- \*102 Welcher et al., "Nerve growth factor binding domain of the nerve growth factor receptor" Proc. Natl. Acad. Sci. USA 88:159-163 (1991)
- \*103 Wiley et al., "Identification and Characterization of a New Member of the TNF Family that Induces Apoptosis" Immunity 3:673-682 (1995)
- \*104 Wong et al., "TRANCE Is a Novel Ligand of the Tumor Necrosis Factor Receptor Family That Activates c-Jun N-terminal Kinase in T Cells" Journal of Biological Chemistry 272(40):25190-25194 (Oct 3, 1997)
- \*105 Yan and Chao, "Disruption of Cysteine-rich repeats of the p75 nerve growth factor receptor leads to loss of ligand binding" Journal of Biological Chemistry 266:12099-12104 (1991)
- \*106 Yang et al., "Toll-like receptor-2 mediates lipopolysaccharide-induced cellular signalling" Nature 395(6699):284-288 (Sep 17, 1998)
- \*107 Yonehara et al., "A cell-killing monoclonal antibody (anti-Fas) to a cell surface antigen co-downregulated with the receptor of tumor necrosis factor" Journal of Experimental Medicine 169:1747-1756 (1989)
- \*108 Zheng et al., "Induction of Apoptosis in Mature T Cells by Tumor Necrosis Factor" Nature 377:348-351 (1995)

RECEIVED  
MAY 15 2002  
TECH CENTER 1600/2900

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.